Subject Index

Adherence
adherence of Al_2O_2 coating layers to steels: the detrimental effect of sulphur and beneficial effect of rare earth metals, 179
Alloying
effects of alloying elements on NaCl-induced hot corrosion of stainless steels, 319
effects of minor alloying additions on the formation of protective scales under sulfidizing conditions at 700 °C, 251
Alloys
addition of yttrium, cerium and hafnium to combat the deleterious effect of sulphur impurity during oxidation of an Ni–Cro–Al alloy, 185
corrosion of an Fe–Cr–Ni–Al alloy in mixed environments between 773 and 1073 K, 213
early stages of oxidation of Fe–25Cr and Fe–25Cr–6Al alloys in $H_2/H_2O/H_2S$ atmospheres at 700 °C, 259
effect of alloy chemistry on the creep behaviour in a helium environment with low oxygen partial pressure, 623
effect of ceria coatings on the high-temperature oxidation of iron–chromium alloys, 147
effect of H_2O-containing atmosphere on creep-rupture elongation of Alloy 800, 619
effect of laser surface modification on high-temperature oxidation and corrosion behaviour of alloys and coatings, 499
high-temperature chloridation of binary Fe–Cr alloys at 1000 °C, 61
high-temperature corrosion of aluminide-based alloy protective coatings, 361
high-temperature corrosion of several commercial Fe–Cr–Ni alloys under molten sodium sulphate deposit in oxidizing gaseous environments, 283
high-temperature oxidation of refractory alloys under isothermal and cyclic conditions, 207
influence of certain reactive elements on the oxidation behaviour of chromia- and alumina-forming alloys, 169
influence of creep deformation on the corrosion behaviour of a CeO_2 surface-modified alloy 800H in a sulphidizing–oxidizing–carburizing environment, 581
influence of implanted yttrium on the oxidation properties of a Co–25Cr–1Al alloy 509
influence of laser surface treatment on the high-temperature oxidation of Cr_2O_3-forming alloys, 549
influence of stress on the oxidation of a refractory alloy at high temperature, 597
influence of the parameters of the oxidation process on the critical cracking stress of oxide scales of niobium and niobium alloy, 239
influence of yttrium on the oxidation and corrosion behaviour of a $\gamma-\gamma'$ alloy at 850 and 1100 °C, 161
internal sulfidation of an Fe–6Al (at.%) alloy at 1173 K by FeS–alloy diffusion coupling, 47
internal sulphidation phenomena of heat-resistant alloys at low sulphur pressures, 31
investigation of the corrosion mechanisms of nickel and nickel-based alloys in SO_2-containing environments using an evolved gas analysis technique, 117
kinetics and mechanism of the sulfidation of Co–Mo alloys, 39
laser melting of an NiCr alloy precoated with carbon: high-temperature oxidation and wear resistance, 555
low-pressure gas-phase pack cementation coating of complex-shaped alloy surfaces, 379
microstructure of alumina scales formed on NiCoCrAl alloys with and without yttrium, 153
multicomponent diffusion studies in selected high-temperature alloy systems, 351
oxidation behaviour of a laser-clad nickel-based alloy containing hafnium, 531
simultaneous chromizing and aluminizing of iron-base alloys, 413
stress during sulphidizing: the case of nickel-based alloys, 589
structure and behaviour during oxidation and corrosion at 850 °C of a tantalum-rich phase as detected during oxidation of a γ/γ' alloy, 341
sub-melting point hot corrosion of alloys and coatings, 277
Aluminium
addition of yttrium, cerium and hafnium to combat the deleterious effect of sulphur impurity during oxidation of an Ni–Cr–Al alloy, 185
adherence of Al_2O_3 coating layers to steels: the detrimental effect of sulphur and beneficial effect of rare earth metals, 179
behaviour of aluminium–chromium ferritic steels in simulated coal gasification atmospheres at 723 K, 677
complex aluminide coatings obtained by electrophoretic deposition consolidated by aluminizing, 373
corrosion damage and regeneration of aluminide coatings on aircraft turbine blades, 407
corrosion of an Fe–Cr–Ni–Al alloy in mixed environments between 773 and 1073 K, 213
development of high-temperature corrosion-resistant aluminium-containing ferritic steels, 293
diffusional interactions and reactions between a partially stabilized zirconia thermal barrier coating and the NiCrAlY bond coat, 467
early stages of oxidation of Fe–25Cr and Fe–25Cr–6Al alloys in $H_2/H_2O/H_2S$ atmospheres at 700 °C, 259
effect of additional elements in the substrate on the oxidation of chromium-modified aluminide coatings deposited on nickel-based superalloys, 391
high-temperature corrosion of aluminide-based alloy protective coatings, 361
high temperature-resistant NiCrAl and NiCrAl + Hf felt materials, 419

© Elsevier Sequoia/Printed in The Netherlands

Aluminium (continued)
high temperature-resistant palladium-modified aluminide coatings for nickel-base superalloys, 367
hot corrosion of yttrium-modified aluminide coatings, 387
influence of certain reactive elements on the oxidation behaviour of chromia- and alumina-forming alloys, 169
influence of implanted yttrium on the oxidation properties of a Co–25Cr–1Al alloy, 509
influence of implanted yttrium and cerium on the protective properties of a β-NiAl coating on a nickel-base superalloy, 539
internal sulfidation of an Fe–6Al (at.%) alloy at 1173 K by FeS–alloy diffusion coupling, 47
linear weight gain and parabolic oxide thickness variations *vs.* oxidation time: the signature of diffusion along two dimensions in Al_2O_3 scale formed on β-NiAl, 83
microstructure of alumina scales formed on NiCoCrAl alloys with and without yttrium, 153
oxidation and erosion behaviour of a boroaluminized coating prepared by pack cementation on an industrial steel, 427
oxidation of molten aluminium, 91
oxidation of niobium aluminide $NbAl_3$, 55
protective properties of thin alumina films deposited by metal organic chemical vapour deposition against high-temperature corrosion of stainless steels, 449
sulphide corrosion of pure and chromium-modified β-NiAl intermetallic compound at high temperatures, 105
Aluminizing
complex aluminide coatings obtained by electrophoretic deposition consolidated by aluminizing, 373
simultaneous chromizing and aluminizing of iron-base alloys, 413
Annealing
thermal barrier coatings: microstructural investigation after annealing, 475
Austenite
comparative investigation of some austenitic chromium–nickel steels in hot air, 229
corrosion behaviour of austenitic stainless steels in the high chloride-containing environment, 301

Boron
oxidation and erosion behaviour of a boroaluminized coating prepared by pack cementation on an industrial steel, 427

Carbon
erosion–corrosion of carbon steel by particles in circulating fluidized bed combustors, 603
hot-gas corrosion of silicon carbide materials at temperatures between 1200 and 1400 °C, 457
influence of creep deformation on the corrosion behaviour of a CeO_2 surface-modified Alloy 800H in a sulphidizing–oxidizing–carburizing environment, 581
laser melting of an NiCr alloy precoated with carbon: high-temperature oxidation and wear resistance, 555
Cementation
low-pressure gas-phase pack cementation coating of complex-shaped alloy surfaces, 379
oxidation and erosion behaviour of a boroaluminized coating prepared by pack cementation on an industrial steel, 427

Ceramics
high-temperature oxidation-protection CVD coatings for structural ceramics: oxidation behaviour of CVD-coated reaction-bonded silicon nitride, 441
high-temperature wear and oxidation behaviour of an Si_3N_4 ceramic, 483
laser surface treatment of ceramic coatings, 545
Cerium
addition of yttrium, cerium and hafnium to combat the deleterious effect of sulphur impurity during oxidation of an Ni–Cr–Al alloy, 185
effect of ceria coatings on the high-temperature oxidation of iron–chromium alloys, 147
influence of creep deformation on the corrosion behaviour of a CeO_2 surface-modified Alloy 800H in a sulphidizing–oxidizing–carburizing environment, 581
influence of implanted yttrium and cerium on the protective properties of a β-NiAl coating on a nickel-base superalloy, 539
Chemical vapour deposition
high-temperature oxidation-protection CVD coatings for structural ceramics: oxidation behaviour of CVD-coated reaction-bonded silicon nitride, 441
protective properties of thin alumina films deposited by metal organic chemical vapour deposition against high-temperature corrosion of stainless steels, 449
Chloridation
high-temperature chloridation of binary Fe–Cr alloys at 1000 °C, 61
Chlorine
corrosion behaviour of austenitic stainless steels in the high chloride-containing environment, 301
effects of alloying elements on NaCl-induced hot corrosion of stainless steels, 319
Chromium
addition of yttrium, cerium and hafnium to combat the deleterious effect of sulphur impurity during oxidation of an Ni–Cr–Al alloy, 185
behaviour of aluminium–chromium ferritic steels in simulated coal gasification atmospheres at 723 K, 677
comparative investigation of some austenitic chromium–nickel steels in hot air, 229
corrosion of an Fe–Cr–Ni–Al alloy in mixed environments between 773 and 1073 K, 213
diffusional interactions and reactions between a partially stabilized zirconia thermal barrier coating and the NiCrAlY bond coat, 467
early stages of oxidation of Fe–25Cr and Fe–25Cr–6Al alloys in $H_2/H_2O/H_2S$ atmospheres at 700 °C, 259
effect of ceria coations on the high-temperature oxidation of iron–chromium alloys, 147
effect of additional elements in the substrate on the oxidation of chromium-modified aluminide coatings deposited on nickel-based superalloys, 391
effects of ion implantation on the mixed gas corrosion of a chromia former, 525
high-temperature chloridation of binary Fe–Cr alloys at 1000 °C, 61
high-temperature corrosion of several commercial Fe–Cr–Ni alloys under molten sodium sulphate deposit in oxidizing gaseous environments, 283
high temperature-resistant NiCrAl and NiCrAl + Hf felt materials, 419

influence of certain reactive elements on the oxidation behaviour of chromia- and alumina-forming alloys, 169
influence of implanted yttrium on the oxidation properties of a Co–25Cr–1Al alloy, 509
influence of laser surface treatment on the high-temperature oxidation of Cr_2O_3-forming alloys, 549
laser melting of an NiCr alloy precoated with carbon: high-temperature oxidation and wear resistance, 555
mechanism of simultaneous sulphidation and oxidation of Fe–20Cr and Fe–20Cr–12Ni and the failure of protective chromia scales, 123
microstructure of alumina scales formed on NiCoCrAl alloys with and without yttrium, 153
powder metallurgical chromium, 307
spallation of oxide scales from 20%Cr–25%Ni–Nb stainless steel, 199
sulphide corrosion of pure and chromium-modified β-NiAl intermetallic compound at high temperatures, 105

Chromizing
simultaneous chromizing and aluminizing of iron-base alloys, 413

Cobalt
influence of implanted yttrium on the oxidation properties of a Co–25Cr–1Al alloy, 509
kinetics and mechanism of the sulfidation of Co–Mo alloys, 39
microstructure of alumina scales formed on NiCoCrAl alloys with and without yttrium, 153

Composition
diffusional growth of multiphase scales with variable composition, 69

Copper
electrochemical study of the corrosion of copper and magnesium in molten mixtures of HF–KF: the influence of the HF content, 329

Corrosion control
computerized representation of data and knowledge on high-temperature corrosion and corrosion control, 685

Cracking
cracking and spalling of protective oxide layers, 139
critical cracking stress of oxide scales of tantalum due to oxidation, 235
influence of the parameters of the oxidation process on the critical cracking stress of oxide scales of niobium and niobium alloy, 239
stresses and cracking of oxide scales, 193

Creep
effect of alloy chemistry on the creep behaviour in a helium environment with low oxygen partial pressure, 623
effect of H_2O-containing atmosphere on creep-rupture elongation of Alloy 800, 619
influence of creep deformation on the corrosion behaviour of a CeO_2 surface-modified Alloy 800H in a sulphidizing–oxidizing–carburizing environment, 581
modelling creep properties of coated superalloys in air and aggressive environments, 645

Damage
corrosion damage and regeneration of aluminide coatings on aircraft turbine blades, 407

Data banks
coatings and high-temperature corrosion data bank: an example of a materials data bank, 693

Deformation
influence of creep deformation on the corrosion behaviour of a CeO_2 surface-modified Alloy 800H in a sulphidizing–oxidizing–carburizing environment, 581

Degradation
role of the interaction of corrosion and mechanical factors for degradation of materials, 563

Deposition
synthesis of silicon nitride films by ion-beam-enhanced deposition and their protective properties against oxidation, 519

Diffusion
diffusional growth of multiphase scales with variable composition, 69
diffusional interactions and reactions between a partially stabilized zirconia thermal barrier coating and the NiCrAlY bond coat, 467
internal sulfidation of an Fe–6Al (at.%) alloy at 1173 K by FeS–alloy diffusion coupling, 47
linear weight gain and parabolic oxide thickness variations *vs.* oxidation time: the signature of diffusion along two dimensions in Al_2O_3 scale formed on β-NiAl, 83
multicomponent diffusion studies in selected high-temperature alloy systems, 351

Electrophoretic deposition
complex aluminide coatings obtained by electrophoretic deposition consolidated by aluminizing, 373

Elongation
effect of H_2O-containing atmosphere on creep-rupture elongation of Alloy 800, 619

Erosion
erosion–corrosion of carbon steel by particles in circulating fluidized bed combustors, 603
erosion–corrosion of materials at elevated temperatures, 571
high-temperature erosion in corrosive gases, 661
influence of temperature on the erosion oxidation of steels in a fluidized-bed environment, 611
oxidation and erosion behaviour of a boroaluminized coating prepared by pack cementation on an industrial steel 427

Felts
high temperature-resistant NiCrAl and NiCrAl + Hf felt materials, 419

Ferrite
behaviour of aluminium–chromium ferritic steels in simulated coal gasification atmospheres at 723 K, 677
development of high-temperature corrosion-resistant aluminium-containing ferritic steels, 293

Fluidized beds
erosion–corrosion of carbon steel by particles in circulating fluidized bed combustors, 603
influence of temperature on the erosion oxidation of steels in a fluidized-bed environment, 611

Fluorine
electrochemical study of the corrosion of copper and magnesium in molten mixtures of HF–KF: the influence of the HF content, 329

Furnace-wall corrosion
on-line monitoring of furnace-wall corrosion in a 125 MW power generation boiler, 651

Gas analysis
investigation of the corrosion mechanisms of nickel and nickel-based alloys in SO_2-containing environments using an evolved gas analysis technique, 117

Hafnium
addition of yttrium, cerium and hafnium to combat the deleterious effect of sulphur impurity during oxidation of an Ni–Cr–Al alloy, 185
high temperature-resistant NiCrAl and NiCrAl + Hf felt materials, 419
oxidation behaviour of a laser-clad nickel-based alloy containing hafnium, 531
effect of alloy chemistry on the creep behaviour in a helium environment with low oxygen partial pressure, 623
Hydrogen
early stages of oxidation of Fe–25Cr and Fe–25Cr–6Al alloys in $H_2/H_2O/H_2S$ atmospheres at 700 °C, 259
effect of H_2O-containing atmosphere on creep-rupture elongation of Alloy 800, 619
electrochemical study of the corrosion of copper and magnesium in molten mixtures of HF–KF: the influence of the HF content, 329

Implantation
effects of ion implantation on the mixed gas corrosion of a chromia former, 525
influence of implanted yttrium and cerium on the protective properties of a β-NiAl coating on a nickel-base superalloy, 539
influence of implanted yttrium on the oxidation properties of a Co–25Cr–1Al alloy, 509
Industrial requirements
critical industrial requirements and experience related to high-temperature corrosion, 669
Iron
corrosion of an Fe–Cr–Ni–Al alloy in mixed environments between 773 and 1073 K, 213
early stages of oxidation of Fe–25Cr and Fe–25Cr–6Al alloys in $H_2/H_2O/H_2S$ atmospheres at 700 °C, 259
effect of ceria coatings on the high-temperature oxidation of iron–chromium alloys, 147
evidence for vacancy injection during the oxidation of iron, 97
high-temperature chloridation of binary Fe–Cr alloys at 1000 °C, 61
high temperature corrosion of iron in $O_2 + 4\%SO_2/SO_3$ at 500–800 °C, 101
high-temperature corrosion of several commercial Fe–Cr–Ni alloys under molten sodium sulphate deposit in oxidizing gaseous environments, 283
internal sulfidation of an Fe–6Al (at.%) alloy at 1173 K by FeS–alloy diffusion coupling, 47
mechanism of simultaneous sulphidation and oxidation of Fe–20Cr and Fe–20Cr–12Ni and the failure of protective chromia scales, 123
simultaneous chromizing and aluminizing of iron-base alloys, 413

Kinetics
kinetics and mechanism of the sulfidation of Co–Mo alloys, 39

Laser melting
laser melting of an NiCr alloy precoated with carbon: high-temperature oxidation and wear resistance, 555

Magnesium
electrochemical study of the corrosion of copper and magnesium in molten mixtures of HF–KF: the influence of the HF content, 329
Manganese
manganese sulphidation study with different sulphidizing agents over the temperature range 573–1223 K, 111
Mechanical properties
mechanical properties of coatings and coated systems, 633
Microstructure
microstructure of alumina scales formed on NiCoCrAl alloys with and without yttrium, 153
thermal barrier coatings: microstructural investigation after annealing, 475
Molybdenum
kinetics and mechanism of the sulfidation of Co–Mo alloys, 39

Nickel
addition of yttrium, cerium and hafnium to combat the deleterious effect of sulphur impurity during oxidation of an Ni–Cr–Al alloy, 185
comparative investigation of some austenitic chromium–nickel steels in hot air, 229
corrosion of an Fe–Cr–Ni–Al alloy in mixed environments between 773 and 1073 K, 213
diffusional interactions and reactions between a partially stabilized zirconia thermal barrier coating and the NiCrAlY bond coat, 467
effect of additional elements in the substrate on the oxidation of chromium-modified aluminide coatings deposited on nickel-based superalloys, 391
high-temperature corrosion of several commercial Fe–Cr–Ni alloys under molten sodium sulphate deposit in oxidizing gaseous environments, 283
high temperature-resistant NiCrAl and NiCrAl + Hf felt materials, 419
high-temperature-resistant palladium-modified aluminide coatings for nickel-base superalloys, 367
investigation of the corrosion mechanisms of nickel and nickel-based alloys in SO_2-containing environments using an evolved gas analysis technique, 117
laser melting of an NiCr alloy precoated with carbon: high-temperature oxidation and wear resistance, 555
linear weight gain and parabolic oxide thickness variations *vs.* oxidation time: the signature of diffusion along two dimensions in Al_2O_3 scale formed on β-NiAl, 83
mechanism of simultaneous sulphidation and oxidation of Fe–20Cr and Fe–20Cr–12Ni and the failure of protective chromia scales, 123
microstructure of alumina scales formed on NiCoCrAl alloys with and without yttrium, 153
oxidation behaviour of a laser-clad nickel-based alloy containing hafnium, 531
spallation of oxide scales from 20%Cr–25%Ni–Nb stainless steel, 199
stress during sulphidizing: the case of nickel-based alloys, 589
sulphide corrosion of pure and chromium-modified β-NiAl intermetallic compound at high temperatures, 105

Niobium
influence of the parameters of the oxidation process on the critical cracking stress of oxide scales of niobium and niobium alloy, 239
oxidation of niobium aluminide $NbAl_3$, 55
spallation of oxide scales from 20%Cr–25%Ni–Nb stainless steel, 199
Nitrogen
high-temperature oxidation-protection CVD coatings for structural ceramics: oxidation behaviour of CVD-coated reaction-bonded silicon nitride, 441
high-temperature wear and oxidation behaviour of an Si_3N_4 ceramic, 483
synthesis of silicon nitride films by ion-beam-enhanced deposition and their protective properties against oxidation, 519

Oxidation
addition of yttrium, cerium and hafnium to combat the deleterious effect of sulphur impurity during oxidation of an Ni–Cr–Al alloy, 185
critical cracking stress of oxide scales of tantalum due to oxidation, 235
early stages of oxidation of Fe–25Cr and Fe–25Cr–6Al alloys in $H_2/H_2O/H_2S$ atmospheres at 700 °C, 259
effect of additional elements in the substrate on the oxidation of chromium-modified aluminide coatings deposited on nickel-based superalloys, 391
effect of ceria coatings on the high-temperature oxidation of iron–chromium alloys, 147
effect of laser surface modification on high-temperature oxidation and corrosion behaviour of alloys and coatings, 499
evidence for vacancy injection during the oxidation of iron, 97
high temperature corrosion of several commercial Fe–Cr–Ni alloys under molten sodium sulphate deposit in oxidizing gaseous environments, 283
high-temperature oxidation of refractory alloys under isothermal and cyclic conditions, 207
high temperature oxidation-protection CVD coatings for structural ceramics: oxidation behaviour of CVD-coated reaction-bonded silicon nitride, 441
high-temperature wear and oxidation behaviour of an Si_3N_4 ceramic, 483
influence of certain reactive elements on the oxidation behaviour of chromia- and alumina-forming alloys, 169
influence of creep deformation on the corrosion behaviour of a CeO_2 surface-modified Alloy 800H in a sulphidizing–oxidizing–carburizing environment, 581
influence of implanted yttrium on the oxidation properties of a Co–25Cr–1Al alloy, 509
influence of laser surface treatment on the high-temperature oxidation of Cr_2O_3-forming alloys, 549
influence of stress on the oxidation of a refractory alloy at high temperature, 597
influence of sulfur on the oxidation of coatings, 175
influence of temperature on the erosion oxidation of steels in a fluidized-bed environment, 611
influence of the parameters of the oxidation process on the critical cracking stress of oxide scales of niobium and niobium alloy, 239
influence of yttrium on the oxidation and corrosion behaviour of a γ–γ' alloy at 850 and 1100 °C, 161
laser melting of an NiCr alloy precoated with carbon: high-temperature oxidation and wear resistance, 555
linear weight gain and parabolic oxide thickness variations *vs.* oxidation time: the signature of diffusion along two dimensions in Al_2O_3 scale formed on β-NiAl, 83
mechanism of simultaneous sulphidation and oxidation of Fe–20Cr and Fe–20Cr–12Ni and the failure of protective chromia scales, 123
model of thermal stability during oxidation of a metal, 77
oxidation and erosion behaviour of a boroaluminized coating prepared by pack cementation on an industrial steel, 427
oxidation behaviour of a laser-clad nickel-based alloy containing hafnium, 531
oxidation of molten aluminium, 91
oxidation of niobium aluminide $NbAl_3$, 55
stresses associated with Inconel 600 oxidation, 221
structure and behaviour during oxidation and corrosion at 850 °C of a tantalum-rich phase as detected during oxidation of a γ/γ' alloy, 341
synthesis of silicon nitride films by ion-beam-enhanced deposition and their protective properties against oxidation, 519
Oxygen
adherence of Al_2O_3 coating layers to steels: the detrimental effect of sulphur and beneficial effect of rare earth metals, 179
cracking and spalling of protective oxide layers, 139
critical cracking stress of oxide scales of tantalum due to oxidation, 235
early stages of oxidation of Fe–25Cr and Fe–25Cr–6Al alloys in $H_2/H_2O/H_2S$ atmospheres at 700 °C, 259
effect of alloy chemistry on the creep behaviour in a helium environment with low oxygen partial pressure, 623
effect of ceria coatings on the high-temperature oxidation of iron-chromium alloys, 147
effect of H_2O-containing atmosphere on creep-rupture elongation of Alloy 800, 619
effects of ion implantation on the mixed gas corrosion of a chromia former, 525
high temperature corrosion of iron in $O_2 + 4\%SO_2/SO_3$ at 500–800 °C, 101
high-temperature corrosion of several commercial Fe–Cr–Ni alloys under molten sodium sulphate deposit in oxidizing gaseous environments, 283
influence of certain reactive elements on the oxidation behaviour of chromia- and alumina-forming alloys, 169
influence of creep deformation on the corrosion behaviour of a CeO_2 surface-modified Alloy 800H in a sulphidizing–oxidizing–carburizing environment, 581
influence of laser surface treatment on the high-temperature oxidation of Cr_2O_3-forming alloys, 549
influence of the parameters of the oxidation process on the critical cracking stress of oxide scales of niobium and niobium alloy, 239
investigation of the corrosion mechanisms of nickel and nickel-based alloys in SO_2-containing environments using an evolved gas analysis technique, 117
linear weight gain and parabolic oxide thickness variations *vs.* oxidation time: the signature of diffusion along two dimensions in Al_2O_3 scale formed on β-NiAl, 83

Oxygen (continued)
microstructure of alumina scales formed on NiCoCrAl alloys with and without yttrium, 153
protective properties of thin alumina films deposited by metal organic chemical vapour deposition against high-temperature corrosion of stainless steels, 449
spallation of oxide scales from 20%Cr–25%Ni–Nb stainless steel, 199
stability of amorphous silica coatings for high-temperature service, 461
stresses and cracking of oxide scales, 193

Palladium
high temperature-resistant palladium-modified aluminide coatings for nickel-base superalloys, 367
Potassium
electrochemical study of the corrosion of copper and magnesium in molten mixtures of HF–KF: the influence of the HF content, 329
Powders
powder metallurgical chromium, 307

Rare earth metals
adherence of Al_2O_3 coating layers to steels: the detrimental effect of sulphur and beneficial effect of rare earth metals, 179
Reactive elements
influence of certain reactive elements on the oxidation behaviour of chromia- and alumina-forming alloys, 169
reactive element effect in high-temperature corrosion, 129
Regeneration
corrosion damage and regeneration of aluminide coatings on aircraft turbine blades, 407
Rupture
effect of H_2O-containing atmosphere on creep-rupture elongation of Alloy 800, 619

Salts
corrosion by gas in the presence of molten salts, 267
Silicon
high-temperature oxidation-protection CVD coatings for structural ceramics: oxidation behaviour of CVD-coated reaction-bonded silicon nitride, 441
high-temperature wear and oxidation behaviour of an Si_3N_4 ceramic, 483
hot-gas corrosion of silicon carbide materials at temperatures between 1200 and 1400 °C, 457
stability of amorphous silica coatings for high-temperature service, 461
synthesis of silicon nitride films by ion-beam-enhanced deposition and their protective properties against oxidation, 519
Sodium
effects of alloying elements on NaCl-induced hot corrosion of stainless steels, 319
high temperature corrosion of several commercial Fe–Cr–Ni alloys under molten sodium sulphate deposit in oxidizing gaseous environments, 283
Spallation
spallation of oxide scales from 20%Cr–25%Ni–Nb stainless steel, 199
Spalling
cracking and spalling of protective oxide layers, 139
Stress
critical cracking stress of oxide scales of tantalum due to oxidation, 235
experimental method for growth stress measurement, 245
influence of stress on the oxidation of a refractory alloy at high temperature, 597
influence of the parameters of the oxidation process on the critical cracking stress of oxide scales of niobium and niobium alloy, 239
stress during sulphidizing: the case of nickel-based alloys, 589
stresses and cracking of oxide scales, 193
stresses associated with Inconel 600 oxidation, 221
Sulphidation
internal sulfidation of an Fe–6Al (at.%) alloy at 1173 K by FeS–alloy diffusion coupling, 47
internal sulphidation phenomena of heat-resistant alloys at low sulphur pressures, 31
kinetics and mechanism of the sulfidation of Co–Mo alloys, 39
manganese sulphidation study with different sulphidizing agents over the temperature range 573–1223 K, 111
mechanism of simultaneous sulphidation and oxidation of Fe–20Cr and Fe–20Cr–12Ni and the failure of protective chromia scales, 123
Sulphidizing
effects of minor alloying additions on the formation of protective scales under sulfidizing conditions at 700 °C, 251
influence of creep deformation on the corrosion behaviour of a CeO_2 surface-modified Alloy 800H in a sulphidizing–oxidizing–carburizing environment, 581
stress during sulphidizing: the case of nickel-based alloys, 589
Sulphur
adherence of Al_2O_3 coating layers to steels: the detrimental effect of sulphur and beneficial effect of rare earth metals, 179
early stages of oxidation of Fe–25Cr and Fe–25Cr–6Al alloys in $H_2/H_2O/H_2S$ atmospheres at 700 °C, 259
high temperature corrosion of iron in $O_2 + 4\%SO_2/SO_3$ at 500–800 °C, 101
high-temperature corrosion of several commercial Fe–Cr–Ni alloys under molten sodium sulphate deposit in oxidizing gaseous environments, 283
influence of sulfur on the oxidation of coatings, 175
internal sulfidation of an Fe–6Al (at.%) alloy at 1173 K by FeS–alloy diffusion coupling, 47
internal sulphidation phenomena of heat-resistant alloys at low sulphur pressures, 31
investigation of the corrosion mechanisms of nickel and nickel-based alloys in SO_2-containing environments using an evolved gas analysis technique, 117
review of recent studies of the role of zinc as an inhibitor of hot corrosion from molten sulphates, 313
sulphide corrosion of pure and chromium-modified β-NiAl intermetallic compound at high temperatures, 105
Superalloys
effect of additional elements in the substrate on the oxidation of chromium-modified aluminide coatings deposited on nickel-based superalloys, 391
high temperature-resistant palladium-modified aluminide coatings for nickel-base superalloys, 367

influence of implanted yttrium and cerium on the protective properties of a β-NiAl coating on a nickel-base superalloy, 539
modelling creep properties of coated superalloys in air and aggressive environments, 645
Surface modification
effect of laser surface modification on high-temperature oxidation and corrosion behaviour of alloys and coatings, 499
influence of creep deformation on the corrosion behaviour of a CeO_2 surface-modified Alloy 800H in a sulphidizing–oxidizing–carburizing environment, 581
Surface treatment
influence of laser surface treatment on the high-temperature oxidation of Cr_2O_3-forming alloys, 549
laser surface treatment of ceramic coatings, 545
surface treatments by high-energy beams, 489

Tantalum
critical cracking stress of oxide scales of tantalum due to oxidation, 235
structure and behaviour during oxidation and corrosion at 850 °C of a tantalum-rich phase as detected during oxidation of a γ/γ' alloy, 341
Thermal barrier coatings
differential interactions and reactions between a partially stabilized zirconia thermal barrier coating and the NiCrAlY bond coat, 467
thermal barrier coatings for gas turbine use, 433
thermal barrier coatings: microstructural investigation after annealing, 475
Thermal instability
model of thermal stability during oxidation of a metal, 77

Vacancies
evidence for vacancy injection during the oxidation of iron, 97

Wear
high-temperature wear and oxidation behaviour of an Si_3N_4 ceramic, 483
laser melting of an NiCr alloy precoated with carbon: high-temperature oxidation and wear resistance, 555

Yttrium
addition of yttrium, cerium and hafnium to combat the deleterious effect of sulphur impurity during oxidation of an Ni–Cr–Al alloy, 185
diffusional interactions and reactions between a partially stabilized zirconia thermal barrier coating and the NiCrAlY bond coat, 467
hot corrosion of yttrium-modified aluminide coatings, 387
influence of implanted yttrium and cerium on the protective properties of a β-NiAl coating on a nickel-base superalloy, 539
influence of implanted yttrium on the oxidation properties of a Co–25Cr–1Al alloy, 509
influence of yttrium on the oxidation and corrosion behaviour of a $\gamma-\gamma'$ alloy at 850 and 1100 °C, 161
microstructure of alumina scales formed on NiCoCrAl alloys with and without yttrium, 153

Zinc
review of recent studies of the role of zinc as an inhibitor of hot corrosion from molten sulphates, 313
Zirconia
diffusional interactions and reactions between a partially stabilized zirconia thermal barrier coating and the NiCrAlY bond coat, 467